

## > QS-10 / QSA-10

LUMINAIRES DESIGNED FOR MAIN ROADS, MOTORWAYS, DUAL CARRIAGE WAYS,  
RESIDENTIAL ROADWAYS AND CARPARKS



# > QS-10 / QSA-10



**QS-10 /CLCG.SR**

Clear Curved Toughened Glass



**QSA-10 /CLCG.SR**

Clear Curved Toughened Glass

## TECHNICAL DESCRIPTION

<b>Body</b>	Pressure die-cast aluminium.
<b>Canopy</b>	Black polypropylene for QS-10 or pressure die-cast aluminium for QSA-10. Gear access from the top.
<b>Reflector</b>	Anodized and sealed single piece aluminium.
<b>Enclosure</b>	Curved toughened glass. Lamp access from bottom.
<b>Mounting</b>	Lateral - Ø60mm or vertical Ø60mm (adaptors available). Tilt angle 0° + 5° + 10° + 15° in both post top and side entry.
<b>Finishes</b>	Body - RAL1015 Beige standard. (Alternative colour options on request)
<b>Optic Water Tight</b>	IP-66
<b>Windage</b>	0.180m <sup>2</sup>



**Quick Release Gear**

Standard



**Toolless Maintenance**

Standard




**Lamp Adjustment**

Standard



## DIMENSIONS AND WEIGHTS

Type	LENGTH mm	WIDTH mm	HEIGHT mm	WEIGHT kg
QS-10	832	353	223	9.8
QSA-10	832	353	223	10.9



QSA-10

## LAMPS

### QS-10 / QSA-10


#### GES (E-40)



HPS 150  
HPS 250  
HPS 400



MH 150  
MH 250  
MH 400



250W HPS  
Typical Polar  
Curve



KENDELIER LIGHTING LIMITED  
25 AINTREE AVE  
AIRPORT OAKS  
AUCKLAND  
NEW ZEALAND

TEL +64 9 915 1083  
FAX +64 9 915 1087

SALES@KENDELIER.CO.NZ  
WWW.KENDELIER.CO.NZ

NZ FREE 0800 536 335  
AUSTRALIA FREE 1800 553 817